

200100160

### <u> THE UNITED STATES OF ANTERIOA</u>

TO ALL TO WHOM: THESE PRESENTS SHALL COME; South Ankoin Agricultural Experiment Station

MUCCOUS, THERE HAS BEEN PRESENTED TO THE

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN QUEING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY CTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS A ERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SAUSTIFIED SEED AND (2) SHALL CONFORM TO THE SECOND SECOND

SOYBEAN

'SD1091RR'

In Testimon Mecros, I have hereunto set my hand and caused the seal of the Munt Unriety Protection Office to be affixed at the City of Washington, D.C. this twelfth day of September, in the year two thousand one.

Pal M. Zawhoml

Commissioner Plant Variety Protection Office Agricultural Marketing Service Sgriculture

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Peperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued

| (Instructions and information collec   | tion burden statement on reve  | erse)  | 17 0.3.0. 2421)  | , miorinauon is meio comicembe   |   | 7 13 1330 EU (7 0.3.5, 2420). |  |  |
|--|--|--|--|--|---|-------------------------------|--|--|
| 1. NAME OF OWNER   |  |  | •  | 2. TEMPORARY DESIGNATE EXPERIMENTAL NAME   | ION OR  | 3. VARIETY NAME               |  |  |
| SOUTH DAKOTA AGR   | ICULTURAL EXPERI   | MENT STAT  | ION  | SD92-1233G   |   | SD1091RR                      |  |  |
| 4. ADDRESS (Street and No., or R.F.D. No.  | , City, State, and ZIP Code, and Coun  | ntry)  |  | 5. TELEPHONE (include are  | a code)                                       | FOR OFFICIAL USE ONLY         |  |  |
| SOUTH DAKOTA STATE<br>AGRICULTURAL HALL<br>BROOKINGS, SD 57  |  |  |  | (605) 688-414<br>6. FAX (include area code)  | 19  | PVPONUMBER () () () ()        |  |  |
| BROOKINGS, 3D 37   | 007  |  |  | 605 688 6065   |   | FILING DATE                   |  |  |
| 7. IF THE OWNER NAMED IS NOT A "PERS<br>ORGANIZATION (corporation, partnership,  | ON", GIVE FORM OF association, etc.)   | 8. IF INCORPORA<br>STATE OF INCO   | TED, GIVE<br>DRPORATION  | 4/2/2001   |   |                               |  |  |
| SD AGRIC EXPERIMEN   | T STATION  |  |  |  |   |                               |  |  |
| 10. NAME AND ADDRESS OF OWNER REF  | RESENTATIVE(S) TO SERVE IN TH  | IS APPLICATION. (Fir   | st person listed will re   | eceive all papers)   | eville or<br>eville or<br>eville or<br>eville | FILING AND EXAMINATION        |  |  |
| DR. KEVIN KEPHART,<br>SD AGRICULTURAL EX<br>AG HALL 129, BOX 2<br>SOUTH DAKOTA STATE<br>BROOKINGS, SD 57   | PERIMENT STATION<br>207  |  |  |  |   | CERTIFICATION FEE:            |  |  |
|  |  |  |  | · · · · · · · · · · · · · · · · · · ·  |   | DATE 8//6/3)                  |  |  |
| 11. TELEPHONE (Include area code)  | 12. FAX (Include area code)  | 13. E-M.   | AIL .  |  | 14. CROP KI                                   | ND (Common Name)              |  |  |
| (605) 688-4149   | 605 688 6065   | Kev  | in_Kephart   | t@sdstate.edu  | so  | oybean                        |  |  |
| 18. CHECK APPROPRIATE BOX FOR EACH reverse)  a.  | 20. DOES THE OF VARIETY BE IF YES, WHICH LIMITED AS THE OF LIMITED AS THE OF LIMITED AS THE OFFICE OF LIMITED AS THE VARIETY REPROPERTY REPROPERTY REFERENCE IN THE VARIETY RESERVED TO THE PROPERTY REFERENCE IN THE VARIETY RESERVED TO THE VARIETY REFERENCE IN THE VARIETY RESERVED TO THE VARIETY REPROPERTY REPROPERTY REFERENCE IN THE VARIETY RESERVED TO THE VARIETY REPROPERTY REPROPERTY REFERENCE IN THE VARIETY REPROPERTY REPORTY REPROPERTY REPROPERTY REPROPERTY REPORTY R | S (If "yes", answer items 20 and 21 below)  WNER SPECIFY THAT SEED CHARLES AS TO NUMBER OF GENERATIONS  WNER SPECIFY THAT THE CLARLES AS TO NUMBER OF GENERATIONS  WIFY THE STORY OF THAT THE CLARLES AS TO NUMBER OF GENERATIONS  WIFY THE STORY ON THAT THE CLARLES AS TO NUMBER OF GENERATIONS  WIFY THE STORY ON THAT THE CLARLES AS TO NUMBER OF FILING OF NUMBER OF THE NUMBER OF FILING OF NUMBER OF THE NUMBER OF FILING OF NUMBER OF THE NU | THE VARIETY INTO CR ISSUANCE A RICCARD NO CR I | Ty Protection Act)  O (If "no," go to item 22)  YES NO  GISTERED CERTIFIED  YES NO  REGISTERED CERTIFIED  indicated on the reverse.)  PROTECTED BY INTELLECTUAL  TY? |   |                               |  |  |
| 24. The owners declare that a viable sample of for a tuber propagated variety a tissue cult. The undersigned owner(s) is(are) the owner and is entitled to protection under the provious owner(s) is(are) informed that false representations. | r of this sexually reproduced or tuber<br>sions of Section 42 of the Plant Varie   | propagated plant vari<br>ty Protection Act.  | ety, and believe(s) tha  |  |   |                               |  |  |
| SIGNATURE OF OWNER   | 1  |  | SIGNATURE OF O   | )WNER  |   |                               |  |  |
| NAME (Please print or type)  Kevin D. Ke   | phart  |  | NAME (Please print or type)  |  |   |                               |  |  |
| CAPACITY OR TITLE Director,<br>SD Agric Experiment   | Station DATE 3-23  | 3-2001   | CAPACITY OR TITI   | LE   |   | DATE                          |  |  |
| ET-470 (2-99) designed by the Plant Variety Pro  | Inction Office with WoodPodest C.C.  | B 11   |  |  |   | <del></del>                   |  |  |

200\_100160

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,705 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;

(3) evidence of uniformity and stability; and

- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 21. See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

USA - March 30, 2000 foundation seed was offered for sale.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

US patent; issued May 6, 1997; Appl. # 476008; Patent Ref # 5,627,061

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center—East, Beltsville, MD 20705. Telephone: (301) 504-8089.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Nor all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (2-99) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (6-98) which is obsolete.

## **Exhibit A**Origin and Breeding History of SD1091RR Soybean

In 1996 Monsanto Company licensed to SDSU, rights to use Monsanto's Roundup Ready gene to develop soybean cultivars tolerant to Roundup herbicide. Seeds supplied to SDSU under this licensing agreement consisted of 50 BC1F2 seeds derived by Monsanto from crossing soybean variety 'Resnick' with soybean genotype "40-3-2", which Monsanto had transformed with a gene which imparts Roundup herbicide tolerance. Monsanto subsequently backcrossed the gene from their transformed line 40-3-2 into soybean cultivars of various maturity groups for distribution at different geographic latitudes in the US. The Resnick backcross was the variety most adapted to the northern latitudes where SD is located. The pedigree of the material used to develop SD1091RR was as follows: [Resnick (2) x 40-3-2].

During summer 1996 the BC1F2 seeds provided by Monsanto were grown to produce BC1F3 plants, which were sprayed with Roundup. Sixteen plants that did not contain the Roundup Ready gene were killed. Remaining resistant plants were used as the male parents in crosses with the cultivar "Surge", which is a SD cultivar not tolerant to Roundup. Three backcrosses were made to Surge in the growth chamber during winter 1996. Plants grown after each backcross were sprayed with Roundup to identify the resistant plants to be used in the next backcross. The pedigree of SD1091RR, therefore, is as follows: [Surge (4) x (Resnick (2) x 40-3-2)]. During summer 1997, BC3F2 seeds were produced in the field. During winter 1997 BC3F3 plants were grown in the greenhouse, and single plants were harvested. Ninety BC3F3 plant rows were grown in greenhouse soil beds and sprayed with Roundup to identify heterozygous rows. Of the 90 rows, 16 were segregating for undesirable traits, and were discarded.

Of the 74 remaining rows, 50 were gray and 24 were tawny pubescence. Tawny rows were discarded. Of the 50 gray-pubescence rows, 37 were homozygous for tolerance to Roundup, and BC3F4 seeds were harvested from these. In 1998, these 37 rows (BC3F4 plants) were evaluated in an augmented randomized complete block design. The recurrent parent, Surge, was replicated three times in the block to provide statistical comparisons. Data were recorded for: lodging, plant height, pubescence color, pod color, and maturity. At the same time in the greenhouse, from remnant seed, each row was evaluated for phytophthora root rot.

Twenty six rows that closely matched the yield and phenotyic characteristics of the recurrent parent, Surge, and contained the Rps1-a gene for phytophthora resistance were composited to form SD1091RR. This BC3F5 seed was used to grow a one-acre breeders seed increase in Chile South America in winter 1998. The BC3F6 seed was used for yield and agronomic evaluations at six locations, and tolerance evaluations at three locations in 1999. Foundation seed (BC3F7) was produced by the SD Foundation Seed Stocks Division concurrently with yield and agronomic evaluations in 1999. Additional yield and agronomic evaluations were conducted at eight locations, and tolerance evaluations at three locations across SD in 2000 using BC3F7 seed. In March 2000, Foundation seed was distributed to Certified Seed Growers for increase, and SD1091RR (BC3F8) was approved for release by the SD variety release committee. In March 2001 seed of SD1091RR was released to growers in South Dakota. The variety may contain up to 0.9% buff hilum color variants.

#### Exhibit B

#### Novelty Statement for SD1091RR Soybean

"SD1091RR" soybean is most similar to 'Surge' soybean. The key distinguishing trait is that Surge does not contain genes for resistance to Roundup herbicide, while SD1091RR does. As a result, all plants of Surge sprayed with Roundup herbicide at the V3 stage will die, while all plants of SD1091RR will survive the same dosage (Tables 1 and 2). SD1091RR and Surge are similar in plant height, and SD1091 matures 2-3 days later than Surge. Seeds of SD1091RR are 2 g per 100 smaller than Surge. Seed protein of SD1091RR is about 1% lower than Surge.

Table 1. Agronomic traits of soybean varieties across six SD environments in 1999

| TRAITS IN SIX 1999 LOCATIONS |            |            |        |         |         |         |        |              |
|------------------------------|------------|------------|--------|---------|---------|---------|--------|--------------|
| NAME                         | MATURITY   |            | PLANT  | LODGING | SEED    | COMPOS  | SITION | ROUNDUP      |
|                              | (days from | SEED YIELD | HEIGHT | SCORE   | WEIGHT  | Protein | Oil    | TOLERANCE    |
|                              | planting)  | bu/a       | (cm)   | (1-5)   | (g/100) | (%)     | (%)    | (% Survival) |
| Surge                        | 119.0      | 42.5       | 86.4   | 1.5     | 18.2    | 44.0    | 20.0   | 0.0          |
| SD1091RR                     | 121.0      | 43.0       | 83.8   | 1.0     | 16.0    | 43.0    | 20.0   | 100.0        |
| CV (%)                       | 3.8        | 7.6        | 5      | 3.5     | 2.5     |         |        |              |
| LSD (0.05)                   | 1.8        | 3.2        | 7.9    | 2.2     | 1.8     |         |        |              |


<sup>&</sup>lt;sup>a</sup>Plants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

Table 2. Agronomic traits of soybean varieties across eight SD environments in 2000.

| TRAITS IN EIGHT 2000 LOCATIONS |            |            |        |         |         |         |       |              |
|--------------------------------|------------|------------|--------|---------|---------|---------|-------|--------------|
| NAME                           | MATURITY   |            | PLANT  | LODGING | SEED    | COMPOS  | ITION | ROUNDUP®     |
|                                | (days from | SEED YIELD | HEIGHT | SCORE   | WEIGHT  | Protein | Oil   | TOLERANCE    |
|                                | planting)  | bu/a       | (cm)   | (1-5)   | (g/100) | (%)     | (%)   | (% Survival) |
| Surge                          | 113        | 44.8       | 81.3   | 2.0     | 18.5    | 43.9    | 21    | 0.0          |
| SD1091RR                       | 116        | 45.4       | 86.4   | 2.0     | 16      | 42.2    | 19.5  | 100.0        |
| CV (%)                         | 4.1        | 9.9        | 5.5    | 3.7     | 2.2     |         |       |              |
| LSD (0.05)                     | 2.1        | 2.1        | 6.6    | 3       | 1.4     |         |       |              |

<sup>&</sup>lt;sup>a</sup>Plants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

Figure 1. Polyacrylamide gels containing PCR amplifications comparing Surge (upper half) and SD1091RR (lower half). Each "vertical lane" was prepared from a single seed out of a random sample from each cultivar.



#### Exhibit B

### Novelty Statement for SD1091RR Soybean

"SD1091RR" soybean is most similar to 'Surge' soybean. The key distinguishing trait is that Surge does not contain genes for resistance to Roundup herbicide, while SD1091RR does. As a result, all plants of Surge sprayed with Roundup herbicide at the V3 stage will die, while all plants of SD1091RR will survive the same dosage (Tables 1 and 2). SD1091RR and Surge are similar in plant height, and SD1091 matures 2-3 days later than Surge. Seeds of SD1091RR are 2 g per 100 smaller than Surge. Seed protein of SD1091RR is about 1% lower than Surge.

Table 1. Agronomic traits of soybean varieties across six SD environments in 1999

|            |            | TRAIT      | S IN SIX 1 | 999 LOCAT | IONS    |         |        |              |
|------------|------------|------------|------------|-----------|---------|---------|--------|--------------|
| NAME       | MATURITY   |            | PLANT      | LODGING   | SEED    | COMPOS  | SITION | ROUNDUP      |
|            | (days from | SEED YIELD | HEIGHT     | SCORE     | WEIGHT  | Protein | Oil    | TOLERANCE    |
|            | planting)  | bu/a       | (cm)       | (1-5)     | (g/100) | (%)     | (%)    | (% Survival) |
| Surge      | 119.0      | 42.5       | 86.4       | 1.5       | 18.2    | 44.0    | 20.0   | 0.0          |
| SD1091RR   | 121.0      | 43.0       | 83.8       | 1.0       | 16.0    | 43.0    | 20.0   | 100.0        |
| CV (%)     | 3.8        | 7.6        | 5          | 3.5       | 2.5     |         |        |              |
| LSD (0.05) | 1.8        | 3.2        | 7.9        | 2.2       | 1.8     |         |        |              |

<sup>a</sup>Plants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

Table 2. Agronomic traits of soybean varieties across eight SD environments in 2000.

| TRAITS IN EIGHT 2000 LOCATIONS |            |            |        |         |         |         |        |              |
|--------------------------------|------------|------------|--------|---------|---------|---------|--------|--------------|
| NAME                           | MATURITY   | JRITY      |        | LODGING | SEED    | COMPOS  | SITION | ROUNDUP      |
|                                | (days from | SEED YIELD | HEIGHT | SCORE   | WEIGHT  | Protein | Oil    | TOLERANCE    |
|                                | planting)  | bu/a       | (cm)   | (1-5)   | (g/100) | (%)     | (%)    | (% Survival) |
| Surge                          | 113        | 44.8       | 81.3   | 2.0     | 18.5    | 43.9    | 21     | 0.0          |
| SD1091RR                       | 116        | 45.4       | 86.4   | 2.0     | 16      | 42.2    | 19.5   | 100.0        |
| CV (%)                         | 4.1        | 9.9        | 5.5    | 3.7     | 2.2     |         |        |              |
| LSD (0.05)                     | 2.1        | 2.1        | 6.6    | 3       | 1.4     |         |        | -            |

<sup>a</sup>Plants were sprayed with 64 ounces per acre of Roundup herbicide at V3 growth stage. These evaluations were conducted in separate tests from the yield trials at 3 locations.

#### PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

| ,   | TO YOU'VE MAX LU  |   |
|---|---|---|
| NAME OF APPLICANT(S)  | TEMPORARY DESIGNATION                                   | VARIETY NAME  |
| South Dakota Agricultural Experiment Sta  | SD92-1233G  | SD1091RR  |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cool   | ie)   | FOR OFFICIAL LINE CANAL   |
| South Dakota State University   |   | FOR OFFICIAL USE ONLY PVPO NUMBER                                 |
| Agricultural Hall 129<br>Brookings SD 57007   |   | 200100160   |
| Choose the appropriate response which characterizes the var   | riety in the features described to                      |   |
|   |   |   |
| Starred characters * are considered fundamental to an adeque when information is available.                     | sate soybean variety descriptio                         | n. Other characters should be described                           |
| 1. SEED SHAPE:  |   |   |
|   | <b>Y</b>  |   |
| [L]  u  | T   |   |
| 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)                    | 2 = Spherical Flattened (L<br>4 = Elongate Flattened (L | _/W ratio > 1.2; L/T ratio = < 1.2)<br>/T ratio > 1.2; T/W > 1.2) |
| * 2 SEED COAT COLOR IN  |   | 71 (allo 5 1.2; 1/W 5 1.2)  |
| ★ 2. SEED COAT COLOR: (Mature Seed)   |   |   |
| 1 = Yellow 2 = Green 3 = Brown  | 4 = Black 5 = Other (S)                                 | pecify)   |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed)   |   |   |
| 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy  | '; 'Gasoy 17')  |   |
| 4. SEED SIZE: (Mature Seed)   |   |   |
| (mature Seed)   |   |   |
| 1 6 Grams per 100 seeds   |   | e e e   |
| 5. HILUM COLOR: (Mature Seed)   | ·   |   |
|   | •   |   |
| 5 1 = Buff - 2 = Yellow 3 = Brown 4 =   | Gray 5 = Imperfect Black                                | 6 = Black 7 = Other (Specify)                                     |
| 6. COTYLEDON COLOR: (Mature Seed)   |   |   |
| 1 = Yellow 2 = Green  |   |   |
| 7 SEED PROTEIN ACCOUNT  |   |   |
| 7. SEED PROTEIN PEROXIDASE ACTIVITY:  |   |   |
| 1 = Low 2 = High  |   |   |
| 8 SEED PROTEIN S. CO.   |   |   |
| 8. SEED PROTEIN ELECTROPHORETIC BAND:   | · · · · · · · · · · · · · · · · · · ·                   |   |
| 1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )   | ·   |   |
| 9. HYPOCOTYL COLOR:   |   |   |
| 1 = Green only ('Evans'; 'Davis') 2 = Green with bro 3 = Light Purple below cotyledons ('Besson': 'Pickett 71') | onze band below cotyledons ('Woor                       | dworth': 'Tracy'}   |
| 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Cok   | er Hampton 266A')                                       | •   |
| O. LEAFLET SHAPE:   |   |   |
| 3 1 = Lanceolate 2 = Oval 3 = Ovate   |   | •   |
| 2 = Oval 3 = Ovate  | 4 = Other (Specify)                                     |   |
|   |   |   |
| ORM LMGS-470-57 (6-83) (Edition of 2-82 is obsolete.)   |   |   |

| 11. LEAFLET SIZE:   |   |
|---|---|
| 2 1 = Small ('Amsoy 71': 'A5312')<br>3 = Large ('Crawford'; 'Tracy')              | 2 = Medium ("Corsoy 79": "Gasoy 17")      |
| 12. LEAF COLOR:   |   |
| 1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')               | 2 = Medium Green ('Corsoy 79'; 'Braxton') |
| ★ 13. FLOWER COLOR:   |   |
| 2 = Purple  | 3 = White with purple throat              |
| ★ 14. POD COLOR:  |   |
| 2 1 = Tan 2 = Brown   | 3 = Black                                 |
| ★ 15. PLANT PUBESCENCE COLOR:   |   |
| 1 = Gray 2 = Brown (Tawny)  |   |
| 16. PLANT TYPES:  |   |
| 3 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')                    | 2 = Intermediate ('Amcor'; 'Braxton')     |
| ★ 17. PLANT HABIT:  |   |
| 1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelic | 2 = Semi-Determinate ('Will') can')       |
| * 18. MATURITY GROUP:   |   |
| 0 3 1 = 000 2 = 00 3 = 0<br>10 = VII 11 = VIII                                    | 4 = 1                                     |
| 19. DISEASE REACTION: (Enter 0 = Not Tested: 1 = Su                               | respectitor 2 - D                         |
| BACTERIAL DISEASES:   | sceptible; 2 ~ Resistant)                 |
| * O   |   |
| Bacterial Pustule (Xanthomonas phaseoli var.                                      | sojensis)                                 |
| Bacterial Blight (Pseudomonas glycinea)   | •   |
| ★ ① Wildfire (Pseudomonas tabaci)   |   |
| FUNGAL DISEASES:  |   |
| Brown Spot (Septoria glycines)  |   |
| Frogeye Leaf Spot (Cercospora sojina)   |   |
| ★ 0 Race 1 Race 2 Race 2  | 3 Race 4 Race 5 Other (Specify)           |
| Target Spot (Corynespora cassiicola)  |   |
| Downy Mildew (Peronospora trifoliorum var. m.                                     | nanshurica)                               |
| O Powdery Mildew (Microsphaera diffusa)   |   |
| Brown Stem Rot (Cephalosporium gregatum)  |   |
| Stem Canker (Diaporthe phaseolorum var. caulin                                    | vora)                                     |

| * o                 | ·  |  |                       |
|---------------------|--|--|-----------------------|
| 19. DISEASE REAC    | CTION: (Enter 0 = Not Tested; 1 = Suscept          | ible; 2 = Resistant) (Continued)   | <u> </u>              |
|                     | EASES: (Continued)                                 |  |                       |
| ★ 0 Pod and         | l Stem Blight <i>(Diaporthe phaseolorum</i> var, : |  |                       |
| F _ 1               | · ·  | sojae)   |                       |
|                     | Seed Stain (Cercospora kikuchii)                   |  |                       |
|                     | onia Root Rot (Rhizoctonia solani)                 | · •  |                       |
| 4 4 1               | thora Rot (Phytophthora megasperma var.            | sojae)   |                       |
| ★ 2 Race 1          | O Race 2 Race 3                                    | 1 Race 4 0 Race  |                       |
| 0 Race 8            | O Race 9 Other (Spe                                | <del></del>  | e 5 U Race 6 L Race 7 |
| VIRAL DISEAS        |  |  |                       |
| 0 Bud Bligt         | nt (Tobacco Ringspot Virus)                        |  |                       |
| . [ ]               | ·  |  |                       |
|                     | osaic (Bean Yellow Mosaic Virus)                   |  |                       |
| ★ 0 Cowpea A        | losaic (Cowpea Chlorotic Virus)                    |  |                       |
| Pod Motti           | e (Bean Pod Mottle Virus)                          |  |                       |
| * 0 Seed Mott       | le (Soybean Mosaic Virus)                          |  |                       |
| NEMATODE DIS        |  | •  |                       |
|                     |  |  |                       |
| . 1 1               | yst Nematode (Heterodera glycines)                 | •  | 200                   |
| ★ 0 Race 1          | 0 Race 2 1 Race 3                                  | 0 Race 4 Other   | (Specify)             |
| 0 Lance Nem         | natode (Hoplolaimus Colombus)                      | On all   | Ispacity)             |
| , [ ] -             | oot Knot Nematode (Meloidogyne incognii            |  |                       |
| . [                 |  | ra/  | ·.                    |
|                     | oot Knot Nematode (Meloidogyne Hapla)              |  |                       |
| O Peanut Roo        | t Knot Nematode (Meloidogyne arenaria)             |  |                       |
| O Reniform N        | ematode (Rotylenchulus reniformis)                 | . 1  |                       |
|                     | SEASE NOT ON FORM (Specify):                       |  |                       |
| <u> </u>            |  |  |                       |
| 20. PHYSIOLOGICAL R | ESPONSES: (Enter 0 = Not Tested; 1 = Su            | sceptible: 2 = Resident  |                       |
|                     | is on Calcareous Soil                              | The state of the s | •                     |
|                     |  |  |                       |
|                     | (v)  |  |                       |
| 0                   | (Enter 0 = Not Tested; 1 = Susceptible; 2          | = Resistant)   |                       |
| Mexican Bear        | Beetle (Epilachna varivestis)                      |  |                       |
| O Potato Leaf H     | lopper (Empoasca fabae)                            |  |                       |
|                     | //   |  |                       |
|                     |  |  |                       |
| CHASE WHICH VA      | RIETY MOST CLOSELY RESEMBLES T                     | HAT SUBMITTED.   |                       |
| CHARACTER           | NAME OF VARIETY                                    | CHARACTER  | NAME OF VARIETY       |
| Plant Shape         | Surge  | Seed Coat Luster   | Surge                 |
| Leaf Shape          | Surge  | Seed Size  |                       |
| Leaf Color          | Surge  | Seed Shape   | Surge                 |
| Leaf Size           | Surge  | Seedling Pigmentation  | Surge                 |
|                     | <del></del>  | Scouling Plamentssinn  |                       |

| 23. GIVE DATA FOR SURMITTED AND COME.   |   | -  |
|---|---|----|
| 23. GIVE DATA FOR SUBMITTED AND SIMILAR | STANDARD VARIETY: Paired Comparison D. A. | 1, |

|                                     | 1                          |       | r                |             |           |           |          |                |           |     |
|-------------------------------------|----------------------------|-------|------------------|-------------|-----------|-----------|----------|----------------|-----------|-----|
| VARIETY                             | NO. OF<br>DAYS<br>MATURITY | DAYS  | PLANT<br>LODGING | CM<br>PLANT | LEAFL     | ET SIZE   | SEED CON |                | SEED SIZE | NO. |
|                                     |                            | SCORE | HEIGHT           | CM Width    | CM Length | % Protein | % Oil    | G/100<br>SEEDS | SEEDS/    |     |
| SD1091RR<br>Submitted               | 121                        | 1.0   | 83.8             | 8.3         | 12.0      | 43        | 20       | 16.0           | 3         |     |
| Surge<br>Name of<br>Similar Variety | 119                        | 1.5   | 86.4             | 6.3         | 9.0       | 44        | 20       | 18.2           | 3         |     |
| DUDI IOAT                           |                            |       |                  |             |           |           | ! !      |                | ł         |     |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

| U.S. DEPARTMENT OF AGRICULTURE<br>AGRICULTURAL MARKETING SERVICE  | The following statements are made in accordance with the Privacy Act (1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP   | Application is required in order to de<br>certificate is to be issued (7 U.S.C. 2<br>until certificate is issued (7 U.S.C. 2420  | 421). Information is held confidential   |  |  |  |  |
| 1. NAME OF APPLICANT(S)   | 2. TEMPORARY DESIGNATION<br>OR EXPERIMENTAL NUMBER   | 3. VARIETY NAME  |  |  |  |  |
| SOUTH DAKOTA STATE UNIVERSITY EXPERIMENT STATION  | SD92-1233G   | SD1091RR   |  |  |  |  |
| 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)   | 5. TELEPHONE (include area code)   | 6. FAX (înclude area code)   |  |  |  |  |
| SOUTH DAKOTA STATE UNIVERSITY AGRICULTURAL HALL 129   | (605) 688-4149   | 605 688 6065   |  |  |  |  |
| BROOKINGS, SD 57007   | 200  |  |  |  |  |  |
| 8. Does the applicant own all rights to the variety? Mark an "X" in appropri  | iale block. If no, please explain.   | YES IX NO  |  |  |  |  |
| The variety contains Monsanto's Roundup Re<br>Experiment Station has permission to use<br>Monsanto.   | via a commercialization  | agreement with   |  |  |  |  |
| <ol> <li>Is the applicant (individual or company) a U.S. national or U.S. based or<br/>If no, give name of country</li> </ol>   | ompany?  | YES NO   |  |  |  |  |
| 10. Is the applicant the original owner?  | O If no, please answer one of the fo   | ollowing:  |  |  |  |  |
|   |  |  |  |  |  |  |
| a. If original rights to variety were owned by individual(s), is (are) the ori  | ginal owner(s) a U.S. national(s)?   |  |  |  |  |  |
| b. If original rights to variety were owned by a company(ies), is(are) the  | O If no, give name of country<br>original owner(s) a U.S. based company  | ?  |  |  |  |  |
| ☐ YES ☐ N   | O If no, give name of country  |  |  |  |  |  |
| 11. Additional explanation on ownership (if needed, use reverse for extra sp  | ace):  | et said  |  |  |  |  |
|   | and the second of the second o |  |  |  |  |  |
|   |  |  |  |  |  |  |
|   |  |  |  |  |  |  |
|   |  | .*   |  |  |  |  |
| PLEASE NOTE:  |  |  |  |  |  |  |
| Plant variety protection can be afforded only to owners (not licensees) who meet on   | e of the following criteria:   | •  |  |  |  |  |
| . If the rights to the variety are owned by the original breeder, that person must be which affords similar protection to nationals of the U.S. for the same genus and s  | a U.S. national, national of a UPOV member   | er country, or national of a country   |  |  |  |  |
| If the rights to the variety are owned by the company which employed the origin member country, or owned by nationals of a country which affords similar protections.   | al breeder(s), the company must be U.S. bas<br>tion to nationals of the U.S. for the same g  | ed, owned by nationals of a UPOV enus and species.   |  |  |  |  |
| . If the applicant is an owner who is not the original owner, both the original owner   | er and the applicant must meet one of the ab   | ove criteria.  |  |  |  |  |
| The original breeder/owner may be the individual or company who directed final br   | ceding. See Section 41(a)(2) of the Plant V  | ariety Protection Act for definition.  |  |  |  |  |
| According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collect<br>this information collection is OS81-0055. The time required to compete this information collection<br>searching axisting data sources, gathering and maintaining the data needed, and completing and re- | on is estimated to average 10 minutes per response   | trol number. The valid OMB control number for<br>, including the time for reviewing instructions,            |  |  |  |  |
| The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative (USDA's TARGET Center at 202-720-2600 (voice and TDD).   | race, color, national origin, sex, religion, age, disabilit<br>neans for communication of program information (br  | y, political beliefs, and marital or familial status,<br>sille, large print, audiotape, etc.) should contact |  |  |  |  |

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.